		cordance with ANSI/ISEA 125-2	
	ֆ	FOR SAFETY, WE WORK H	IARDER.
	Bldg 1J, No. 2222	2, Huancheng Road, Jiading Distric	t, Shanghai, China
Declaration #	OQC2502001	De	claration Date 2/01/2025
Tested Item #	FP-5001	Work Positioning lanya	ard/Restraint lanyard
Alexander A		ares that the product(s) liste ents of the following produc	d above is in conformity with t standard(s):
		ANSI Z359.3-2017	
Co	nformity Assessmen	ANSI Z359.3-2017	
	nformity Assessmer		
	Level 1	nt Method in accordance with	ANSI/ISEA 125-2014
Level 1: Poy Outside the PPE 2016/425	Level 1	Level 2 X Level 2 X Level 2: Poyan Lab Within the Scope of	ANSI/ISEA 125-2014 Level 3 Level 3: Independent 3rd Party La accredited to
Level 1: Poy Outside the PPE 2016/425 Supporting Documentation	Van Lab Scope of Regulations	Level 2 X Level 2 X Level 2: Poyan Lab Within the Scope of	ANSI/ISEA 125-2014 Level 3 Level 3: Independent 3rd Party La accredited to



Poyan Testing Laborator

Bldg 1J, No. 2222, Huancheng Road, Jiading District, Shanghai, China www.poyansafety.com

FallTech Test Report							
Test Report No.	PC-1250	Rpt. Date	10/13/2024	Rpt. Rev		Rev Date	
Report Prepared For	FallTech						
Initiated By	Sara Martinez Test Specification(s)			ANSI Z359.3-2017, 4.2.1 & 4.2.3			
Part No.	8165D65			Part No. Revision A			
Part Description	6.5' Rope Positioning Lanyard						
Test Request No.	PC-1250		Date Complete		10/12/2024		
Test Operator(s)	Yesbet Sierra / Jay	Sponholz					

Material/Sample Identification			
Sample ID	Description		
25500013	Rope Positioning Lanyard		
25500317	Rope Positioning Lanyard		
25501023	Rope Positioning Lanyard		
25501019	Rope Positioning Lanyard		
25500518	Rope Positioning Lanyard		
25500756	Rope Positioning Lanyard		

Test Summary					
Test Specification	Test Criteria		Test Result	Pass/Fail	
ANSI Z359.3-2017	Static Strength	<u>></u> 5000 Lbf	5034.4 Lbf.	Pass	
4.2.1	Hold	<u>></u> 1 Minute	1 Minute	Pass	
ANSI Z359.3-2017 4.2.1	Static Strength	<u>></u> 5000 Lbf	5024.6 Lbf.	Pass	
	Hold	<u>></u> 1 Minute	1 Minute	Pass	
ANSI Z359.3-2017 4.2.1	Static Strength	<u>></u> 5000 Lbf	5027.5 Lbf.	Pass	
	Hold	<u>></u> 1 Minute	1 Minute	Pass	

Conclusion					
	Based upon the samples provided to the Lab:				
The samples meets the requirements of OSHA 1926.502					
	Report Signatories and Approval				
Lab Quality Manager	zheng	Date	10/24/2024		
Witnessed by	Kaen	Date	10/24/2024		



This laboratory is accredited in accordance with the recognized International Standard Module D This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system Poyan Testing Laboratory allows for a +/, 5% tolerance on dynamic and static strength test results.

